# MILIOT SCIENCE

BORN IN FINLAND

# Summer laboratory news and offers.

RADWAG Radwag PMV 50.5Y microwave moisture analyser. Advanced solution for quick and precise measurement of moisture content of samples containing significant amount of moisture – analyse up to 100% moist samples in 60 seconds and with a moisture content readability of 0.0001%. Discounted price 14995,- €.



- microwave-based drying ensures ultra-short drying time as well as uniform heating of entire sample's surface
- internal temperature sensor enables to monitor device power in order to prevent exceeding the boiling point during the process
- new, the markets most advanced yet user friendly, large 10" touch screen
- programmable drying profiles and complex databases, large 16GB internal memory e.g. for storing drying programs, advanced reports, time and statistical graphs
- realtime monitoring of drying process
- WiFi<sup>®</sup>, Ethernet, USB-A, USB-C, HDMI, Hotspot, IR sensors (for touch-free use)
- every PMV 50.5Y unit is supplied with 60 glass fibre filters of ø90mm, a test sample of 10% NaCl, and a service concerning determination of best drying parameters for 5 customer-selected samples carried out by Radwag

### specifications

 $\rightarrow$  We also offer the full range of Radwag halogen and IR moisture analysers!

**ELMI CM-50 centrifuge**, one of the most compact, lightweight and powerful microcentrifuges available today. Hermetic **rotor 50.01** with innovative magnetic cap included. *Discounted price 1195,-* €.

patented air cooling system with exceptionally low sample heating • maintenance-free motor drive ensures high durability and long life • max speed 15 000rpm • max RCF 15295xg
5 rotor brake levels • low noise • digital timer up to 99min • secure lid lock • rotor imbalance sensor • rotor 50.01 capacity 12x0.2-2mL • 2x PCR strip (8x0.2mL) rotor also available •

### specifications

 $\rightarrow$  We offer the full range of Elmi liquid handling equipments to very affordable prices.



### •

Hanna Instruments HI-2002 Edge® pH/ORP/°C meter, the perfect solution for your laboratory or in the field. *Price* 449,- €.

- stunning new thin and light design in fresh white colour
- large and clear 5.5" customizable LCD display
- measuring range -2.000 16.000 pH / ±2000 mV
- resolution 0.001 pH / 0.1 mV, accuracy ±0.002 pH / ±0.2 mV
- GLP: advanced pH electrode and buffer solution monitoring, calibration info stored in electrode internal memory chip
- data logging capability allows storing up to 1000 records, USB
- general purpose HI-11310 pH/°C electrode with internal temperature sensor included in meter price
- can be used as portable meter, equipped with internal battery
- bench cradle with electrode holder and space saving wall mount with charging
- large selection of additional pH and ORP electrodes available. Ask for more info!

#### demovideo specifications

 $\rightarrow$  Remember affordable buffer, storage and cleaning solutions when obtained with meter!

# **OPTIKA**<sup>®</sup>

**Optika C-HUB4K microscope camera**, professional Ultra HD 4K 2160p images and videos with top-class SONY CMOS sensor. *Discounted price 995,-* €.

- 8MP resolution with HDMI, USB, WiFi and Ethernet connection
- 32GB SD card with built-in software and cordless mouse included for image and video capturing and analysis directly in HDMI mode
- universal C-mount microscope connectivity

### specifications

 $\rightarrow$  We offer the full range of Optika microscopes, cameras and lighting systems!







### BASIC LABORATORY INSTRUMENTS AND EQUIPMENTS ON SALE:

- AHN-myLab TR-02 tube rotator, price 349,- €.
   fixed speed of 30rpm and fixed plate angel of 38° ensure optimal mixing e.g. for processing of blood samples, capacity for 16 tubes (incl. 4xESR tubes), compact design and low noise, robust metal construction, easy tool-free removal of plate for cleaning specifications
- Corning-HTL Optipette pipettes, price 119,- €/pc or 299,- €/3pcs.
   ergonomic, lightweight and durable single channel pipettes with variable volume between 0.1µL 10mL, 10 different size options. New mechanism ensures precise pipetting and effortless and quick volume setting specifications
- Elmi DOS-20S digital orbital shaker, price 649,- €. rotation amplitude 20mm and -speed 45-250rpm, timer 1-999 min, long life, ease of use and space saving compact size, platform 168x168mm, 3pcs very strong magnetic clips included specifications
- Nahita ultrasonic bath, digital, capacity 6 L, price 749,- €. adjustable temperature max 80°C, timer 1-99 min, ultrasonic frequency 40 kHz and power 180W, tank stainless steel (AISI304) inner size 300x150x150mm, drainage valve, external grips, lid and basket with handles included <u>specifications</u> (ZCC019)
- Radwag WLC 6.X2 precision balance, 6kg / 0.1g, price 649,- €. automatic internal adjustment, large and clear 5" colour touch screen, customizable, large selection of weighing programs and databases, alibi memory, RS232, USB, Wi-Fi, Ethernet, IR sensors, specifications
- RSLab-3C magnetic stirrer with heating, max 10L, price 549,- €. glass ceramic plate 184x184mm, max temperature 550°C, LED display, stirring speed 0-1500rpm, heating safety system. Includes Pt1000 temperature probe and support kit (LBM002-003)! specifications

#### ALL OFFERS VALID UNTIL 30.06 2023 !

Enquiries and orders can be e-mailed directly to: miliot@miliot.com

Please remember to read our Sales terms

Our comprehensive product portfolio can be found here: <u>Our portfolio</u> Please also check out our other current offers here: <u>Super offers</u>

## Miliot Science wishes You all a Beautiful Summer!

(download this newsletter as pdf file here: https://miliot.com)









